



KT-10



- EM-400x chip
- It is a simple and creative design.
- ABA 8H / 8D




It is simple and creative design, it serves as a key holder and key tag.

KT-12BL



- EM-400x chip
- ABA 8H / 10D



KT-13




- EM-400x chip
- ABA 8H / 10D

KT-15-EM




- EM-400x chip
- ABA 8H / 10D



KT-16-BL-EM KT-16-RE-EM




- EM-400x chip
- ABA 8H / 10D



KT-17-BL-Keyprox KT-17-RE-Keyprox




- Temic T5557 chip
- ABA 6H / 8D



KT-21




- EM-400x chip
- Leather



KT-22



- EM-400x chip
- Leather



KT-23



- EM-400x chip
- ABA 8H / 10D




GIANNI INDUSTRIES, INC.

No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone,
Tu-Cheng City, Taipei, Taiwan 23678
Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876
E-Mail: info@gianni.com.tw
Website: gianni.tw
Copyright 2008 Gianni industries, inc. All rights reserved.
DM-CA-KEYTAG Ver. C Published on 2008.08.12



The products are manufactured under an ISO 9001 & QC 080000 Certified Quality Management Program environment back its product quality, performance and commitment to customer satisfaction.

● CCTR-INLAY-22 CCTR-INLAY-29



- EM-400x chip
- 0.86 mm thickness
- 22 mm, 29mm

● CCTR00-KEYPROX



- Temic T5557 chip
- 0.8 mm thickness
- ABA 6H / 8D

● CCTR00-CHN105



- EM-400x chip
- 1.05 mm thickness
- ABA 8H / 10D

● CCTR00-OF-086



- EM-400x chip
- 1.05 mm thickness
- ABA 8H/10D & wiegand 32bit

● CCTR00-CHN105LD



- Temic 4001 chip
- 1.05 mm thickness
- ABA 8H / 10D

● CCTR00-OF-105



- EM-400x chip
- 1.05 mm thickness
- ABA 6H / 7D

● CCTR00-CNPS



- EM-400x chip
- 1.05 mm thickness
- ABA 8H / 10D

● CCTR-086NPLD



- EM-400x chip
- 0.86 mm thickness

● CCTR00-CNPSLD



- EM-400x chip
- 1.05 mm thickness
- ABA 8H / 10D

● CCTR-105NPLD



- EM-400x chip
- 1.05 mm thickness

GIANNI INDUSTRIES, INC.



No. 13, Zhong Sing Road, Tu-Cheng Industrial Zone,
Tu-Cheng City, Taipei, Taiwan 23678
Tel: 886-2 2267 7986 / Fax: 886-2 2267 9876
E-Mail: info@gianni.com.tw
Website: gianni.tw
Copyright 2008 Gianni industries, inc. All rights reserved.
DM-CA-KEYTAG Ver. C Published on 2008.08.12



The products are manufactured under an ISO 9001 & QC 080000 Certified Quality Management Program environment back its product quality, performance and commitment to customer satisfaction.

13.56 MHz Proximity Cards

● CCTR00-MF-086



- Mifare S50 R/W
- 0.86 mm thickness

● CCTR-MF-MUL-086



- Mifare S50 R/W
- 0.86 mm thickness
- ABA 8H / 10D

13.56 MHz / 125 KHz Proximity Cards

● CCTR00-EM-MF-1.05



- Temic (EM-400x compatible chip) & Mifare S50
- 1.05 mm thickness
- ABA 8H / 10D

● CCTR00-MF-ISO



- Temic (EM-400x compatible chip) & Mifare S50
- 0.86 mm thickness
- With magnetic stripe (ISO)

● CCTR00-MF-JIS2



- Temic (EM-400x compatible chip) & Mifare S50
- 0.86 mm thickness
- With magnetic stripe (JIS2)

125 KHz Re-write Proximity Cards

● CCTR00-WR-086



- Temic T5557 chip
- 0.86 mm thickness

● CCTR00-WR-18



- Temic T5557 chip
- 1.8 mm thickness

● Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original customer. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.

GIANNI INDUSTRIES, INC.

